

Acetaminophen (Tylenol®) Dosing

- Call your physician before giving to children less than 3 months of age
- May give every 4-6 hours as needed
- Generic acetaminophen will give same response as Name Brand Tylenol®

		Concentrated Tylenol® Infant Drops	Children's Tylenol® Suspension Liquid	Children's Tylenol® Soft Chews Chewable Tablets	Junior Strength Tylenol® Chewable Tablets
		80mg/0.8ml	160mg/5ml	80mg each	160mg Each
Weight (lb)	Weight (kg)	(Use dropper)			
6-11 lbs	3-5kg	0.4ml			
12-17 lbs	6-7kg	0.8ml	1/2 tsp		
18-23 lbs	8-10kg	1.2ml	3/4 tsp		
24-35 lbs	11-16kg	1.6ml	1 tsp	2	
36-47 lbs	17-21kg		1-1/2 tsp	3	
48-59 lbs	22-27kg		2 tsp	4	2
60-71 lbs	28-32kg		2-1/2 tsp	5	2-1/2
71-96 lbs	33-43kg		3 tsp	6	3
> 96 lbs	>43kg				4

Ibuprofen (Advil®/ Motrin®) Dosing

- **Do not use in infants <6 months of age**
- May give every 6-8 hours as needed
- Generic ibuprofen will give same response as Name Brand Motrin® or Advil®

Concentrated Motrin® Infant Drops	Children's Motrin® Suspension Liquid	Children's Motrin® Soft Chews Chewable Tablets	Junior Strength Motrin® Chewable Tablets	Junior Strength Motrin® Caplets
50mg/1.25ml	100mg/5ml	50mg each	100mg Each	100mg Each

Weight (lb)	Weight (kg)	(Use dropper)				
0-11 lbs	0-5kg	Not indicated	Not indicated	Not indicated	Not indicated	Not Indicated
12-17 lbs	6-7kg	1.25ml				
18-23 lbs	8-10kg	1.875ml				
24-35 lbs	11-16kg	1.6ml	1 tsp	2		
36-47 lbs	17-21kg		1-1/2 tsp	3		
48-59 lbs	22-27kg		2 tsp	4	2	2
60-71 lbs	28-32kg		2-1/2 tsp	5	2-1/2	2-1/2
71-96 lbs	33-43kg		3 tsp	6	3	3

Diphenhydramine (Benadryl®) Dosing

- **Call your physician before giving to children less than 6 months of age**
- May give every 6 hours as needed
- To be used only for allergic reactions (Not for treatment of colds/congestion)

Benadryl® Suspension Liquid	Benadryl® Soft Chews Chewable Tablets	Children's Benadryl® Tablets
	12.5mg each	25mg each

Weight (lb)	Weight (kg)	(Use dropper)		
6-11 lbs	3-5kg	Not Indicated	Not Indicated	Not Indicated
12-17 lbs	6-7kg	1/2 tsp (2.5ml)	Use Liquid	Use Liquid
18-23 lbs	8-10kg	3/4 tsp	Use Liquid	Use Liquid
24-35 lbs	11-16kg	1 tsp	1 Tablet	Use liquid or chews
36-47 lbs	17-21kg	1 1/2 tsp (7.5ml)	1 1/2 tablet	Use liquid or chews
48-59 lbs	22-27kg	2 tsp (10ml)	2 tablets	1 tablet
60-71 lbs	28-32kg	2 1/2 tsp (12.5ml)	2 1/2 tablets	1 tablet
71-96 lbs	33-43kg	3 tsp (15ml)	3 tablets	1 tablet
> 96 lbs	>43kg	3 1/2 tsp (17.5ml)	3 1/2 Tablets	2 tablets